

ERRATUM

Open Access



Erratum to: Improved femoral component rotation in advanced genu valgum deformity using computer-assisted measured resection total knee arthroplasty

Shih-Jie Lin¹, Chien-Ying Lee¹, Kuo-Chin Huang^{1,3}, Kuo-Ti Peng^{1,3}, Tsan-Wen Huang^{1,3*}, Mel S. Lee^{2,3}, Robert Wen-Wei Hsu^{1,3*} and Wun-Jer Shen⁴

Erratum

After publication of the original article [1] it came to our attention that there were errors in Table 3. The data in the first parameter [preoperative coronal MA(°)] was incorrect and has been corrected in Table 3 below.

Author details

¹Department of Orthopaedic Surgery, Chang Gung Memorial Hospital, Chiayi, 6, West Section, Chia-Pu Road, Pu-Tz City 613Chia-Yi Hsien, Taiwan.

²Department of Orthopaedic Surgery, Kaohsiung Chang Gung Memorial Hospital, No. 123, DAPI Rd. Niasng Dist., Kaohsiung City 83301, Taiwan.

³Chang Gung University, 259 Wen-Hwa 1st Road, Kwei-Shan, Tao-Yuan 333, Taiwan. ⁴Po-Cheng Orthopedic Institute, 100 Bo-ai, 2nd Road, Zuoying District, Kaohsiung, Taiwan.

Received: 14 September 2015 Accepted: 14 September 2015

Published online: 22 September 2015

Reference

1. Lin S, Lee C, Huang K, Peng K, Huang T, Lee MS, et al. Improved femoral component rotation in advanced genu valgum deformity using computer-assisted measured resection total knee arthroplasty. *J Orthop Surg Res.* 2015;10:135.

* Correspondence: b8601081@adm.cgmh.org.tw; www@cgmh.org.tw

¹Department of Orthopaedic Surgery, Chang Gung Memorial Hospital, Chiayi, 6, West Section, Chia-Pu Road, Pu-Tz City 613Chia-Yi Hsien, Taiwan
Full list of author information is available at the end of the article

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



Table 3 Radiographic data of patients with genu varum

Parameters	Group A	Group B	p-value
	n = 39	n = 51	
	Mean ± SD (min-max)	Mean ± SD (min-max)	
Preoperative coronal MA (°)	159.7 ± 3.9 (150–165)	158.3 ± 4.2 (143–165)	0.443
Postoperative coronal MA (°)	179.5 ± 1.7 (178–184)	177.9 ± 2.4 (176–181)	0.572
Frontal femoral angle (°)	90.6 ± 1.7 (86–91)	89.7 ± 1.5 (84–91)	0.414
Sagittal femoral angle (°)	1.6 ± 1.2 (0–6)	3.5 ± 2.8 (1–7)	<0.001*
Femoral rotation angle (°)	1.0 ± 0.7 (0–3)	1.7 ± 1.1 (0–6)	0.127
Frontal tibial angle (°)	90.0 ± 0.5 (89–91)	89.9 ± 1.4 (88–91)	0.714
Sagittal tibial angle (°)	87.9 ± 1.8 (84–90)	87.7 ± 2.2 (80–91)	0.518

Group A: osteoarthritis with genu varum and underwent computer-assisted surgery total knee arthroplasty (CAS-TKA)

Group B: osteoarthritis with genu varum and underwent conventional TKA

p values for between-group comparison were determined by Mann-Whitney U test

*Statistically significant ($p < 0.05$)